

## SMS-ES-ANNEX 2

Tables listing the points defining the outer limit of the extended continental shelf  
(Degrees, Minutes and Seconds)

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 1	4° 50' 18.27" S	59° 16' 57.13" E	-	60 M distance criterion / Baseline +200M
ECS 2	4° 50' 37.68" S	59° 17' 53.74" E	1.00	60 M distance criterion
ECS 3	4° 50' 57.66" S	59° 18' 50.22" E	1.00	60 M distance criterion
ECS 4	4° 51' 19.19" S	59° 19' 00.00" E	1.00	60 M distance criterion

ECS 17	4° 57' 15.64" S	59° 31' 17.12" E	1.00	60 M distance criterion
ECS 18	4° 57' 49.17" S	59° 32' 6.81" E	1.00	60 M distance criterion
ECS 19	4° 58' 23.02" S	59° 32' 56.29" E	1.00	60 M distance criterion
ECS 20	4° 58' 58.33" S	59° 33' 44.74" E	1.00	60 M distance criterion
ECS 21	4° 59' 34.11" S	59° 34' 32.86" E	1.00	60 M distance criterion
ECS 22	5° 0' 10.93" S	59° 35' 20.17" E	1.00	60 M distance criterion
ECS 23	5° 0' 48.26" S	59° 36' 7.08" E	1.00	60 M distance criterion
ECS 24	5° 1' 26.66" S	59° 36' 53.13" E	1.00	60 M distance criterion
ECS 25	5° 2' 5.84" S	59° 37' 38.53" E	1.00	60 M distance criterion
ECS 26	5° 2' 45.28" S	59° 38' 23.70" E	1.00	60 M distance criterion
ECS 27	5° 3' 26.19" S	59° 39' 7.54" E	1.00	60 M distance criterion
ECS 28	5° 4' 7.38" S	59° 39' 51.12" E	1.00	60 M distance criterion
ECS 29	5° 4' 49.00" S	59° 40' 34.31" E	1.00	60 M distance criterion
ECS 30	5° 5' 32.12" S	59° 41' 16.00" E	1.00	60 M distance criterion
ECS 31	5° 6' 15.24" S	59° 41' 57.68" E	1.00	60 M distance criterion
ECS 32	5° 6' 59.18" S	59° 42' 38.50" E	1.00	60 M distance criterion
ECS 33	5° 7' 44.14" S	59° 43' 18.21" E	1.00	60 M distance criterion
ECS 34	5° 8' 29.13" S	59° 43' 57.87" E	1.00	60 M distance criterion
ECS 35	5° 9' 15.25" S	59° 44' 36.23" E	1.00	60 M distance criterion
ECS 36	5° 10' 1.97" S	59° 45' 13.86" E	1.00	60 M distance criterion

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 37	5° 10' 49.19" S	59° 45' 50.84" E	1.00	60 M distance criterion
ECS 38	5° 11' 36.95" S	59° 46' 27.15" E	1.00	60 M distance criterion
ECS 39	5° 12' 25.44" S	59° 47' 2.48" E	1.00	60 M distance criterion
ECS 40	5° 13' 14.84" S	59° 47' 36.51" E	1.00	60 M distance criterion
ECS 41	5° 14' 4.23" S	59° 48' 10.57" E	1.00	60 M distance criterion
ECS 42	5° 14' 54.53" S	59° 48' 43.27" E	1.00	60 M distance criterion
ECS 43	5° 15' 45.22" S	59° 49' 15.35" E	1.00	60 M distance criterion
ECS 44	5° 16' 36.27" S	59° 49' 46.87" E	1.00	60 M distance criterion
ECS 45	5° 17' 27.93" S	59° 50' 17.40" E	1.00	60 M distance criterion
ECS 46	5° 18' 20.87" S	59° 50' 48.02" E	1.02	60 M distance criterion
ECS 47	6° 11' 2.23" S	60° 18' 55.93" E	59.46	60 M distance criterion
ECS 48	6° 47' 49.40" S	61° 6' 29.44" E	59.84	60 M distance criterion
ECS 49	7° 2' 11.79" S	61° 43' 31.94" E	39.52	60 M distance criterion
ECS 50	7° 0' 54.06" S	62° 25' 10.29" E	41.42	Depth constraint point
ECS 51	7° 1' 5.63" S	62° 25' 32.36" E	0.41	Depth constraint point
ECS 52	7° 1' 33.20" S	62° 26' 25.52" E	0.99	Depth constraint point
ECS 53	7° 2' 1.44" S	62° 27' 18.31" E	0.99	Depth constraint point
ECS 54	7° 2' 30.25" S	62° 28' 10.82" E	0.99	Depth constraint point
ECS 55	7° 2' 59.53" S	62° 29' 3.05" E	0.99	Depth constraint point
ECS 56	7° 3' 29.36" S	62° 29' 54.95" E	0.99	Depth constraint point
ECS 57	7° 3' 59.55" S	62° 30' 46.66" E	0.99	Depth constraint point
ECS 58	7° 4' 30.60" S	62° 31' 37.87" E	0.99	Depth constraint point
ECS 59	7° 5' 1.64" S	62° 32' 29.06" E	0.99	Depth constraint point
ECS 60	7° 5' 33.48" S	62° 33' 19.77" E	0.99	Depth constraint point
ECS 61	7° 6' 5.80" S	62° 34' 10.17" E	0.99	Depth constraint point
ECS 62	7° 6' 38.80" S	62° 35' 0.12" E	0.99	Depth constraint point
ECS 63	7° 7' 12.17" S	62° 35' 49.85" E	0.99	Depth constraint point
ECS 64	7° 7' 45.74" S	62° 36' 39.41" E	0.99	Depth constraint point
ECS 65	7° 8' 20.28" S	62° 37' 28.31" E	0.99	Depth constraint point
ECS 66	7° 8' 54.82" S	62° 38' 17.21" E	0.99	Depth constraint point
ECS 67	7° 9' 30.01" S	62° 39' 5.64" E	0.99	Depth constraint point
ECS 68	7° 10' 5.79" S	62° 39' 53.63" E	0.99	Depth constraint point
ECS 69	7° 10' 42.00" S	62° 40' 41.30" E	0.99	Depth constraint point
ECS 70	7° 11' 18.70" S	62° 41' 28.61" E	0.99	Depth constraint point
ECS 71	7° 11' 55.69" S	62° 42' 15.69" E	0.99	Depth constraint point
ECS 72	7° 12' 33.59" S	62° 43' 2.01" E	0.99	Depth constraint point
ECS 73	7° 13' 11.58" S	62° 43' 48.27" E	0.99	Depth constraint point
ECS 74	7° 13' 50.03" S	62° 44' 34.14" E	0.99	Depth constraint point
ECS 75	7° 14' 29.17" S	62° 45' 19.43" E	0.99	Depth constraint point
ECS 76	7° 15' 8.30" S	62° 46' 4.72" E	0.99	Depth constraint point

**Point Id**

**Latitude  
(deg°min'sec")**

**Longitude  
(deg°min'sec")**

[Redacted]



Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 157	10° 0' 51.57" S	64° 47' 10.46" E	0.98	Depth constraint point
ECS 158	10° 1' 48.48" S	64° 47' 27.49" E	0.98	Depth constraint point
ECS 159	10° 2' 45.52" S	64° 47' 44.08" E	0.98	Depth constraint point
ECS 160	10° 3' 42.91" S	64° 47' 59.38" E	0.98	Depth constraint point
ECS 161	10° 4' 40.39" S	64° 48' 14.32" E	0.98	Depth constraint point
ECS 162	10° 5' 37.87" S	64° 48' 29.23" E	0.98	Depth constraint point
ECS 163	10° 6' 35.35" S	64° 48' 44.15" E	0.98	Depth constraint point
ECS 164	10° 7' 33.17" S	64° 48' 57.66" E	0.98	Depth constraint point
ECS 165	10° 8' 31.06" S	64° 49' 10.79" E	0.98	Depth constraint point
ECS 166	10° 9' 29.11" S	64° 49' 23.23" E	0.98	Depth constraint point
ECS 167	10° 10' 27.23" S	64° 49' 35.32" E	0.98	Depth constraint point
ECS 168	10° 11' 25.53" S	64° 49' 46.39" E	0.98	Depth constraint point
ECS 169	10° 12' 23.89" S	64° 49' 57.21" E	0.98	Depth constraint point
ECS 170	10° 13' 22.47" S	64° 50' 6.63" E	0.98	Depth constraint point
ECS 171	10° 14' 21.17" S	64° 50' 15.31" E	0.98	Depth constraint point
ECS 172	10° 15' 19.86" S	64° 50' 24.01" E	0.98	Depth constraint point
ECS 173	10° 16' 18.56" S	64° 50' 32.69" E	0.98	Depth constraint point
ECS 174	10° 17' 17.24" S	64° 50' 41.37" E	0.98	Depth constraint point
ECS 175	10° 18' 16.02" S	64° 50' 49.45" E	0.98	Depth constraint point
ECS 176	10° 19' 14.97" S	64° 50' 55.98" E	0.98	Depth constraint point
ECS 177	10° 20' 13.96" S	64° 51' 2.19" E	0.98	Depth constraint point
ECS 178	10° 21' 13.02" S	64° 51' 7.55" E	0.98	Depth constraint point
ECS 179	10° 22' 12.11" S	64° 51' 12.60" E	0.98	Depth constraint point
ECS 180	10° 23' 11.26" S	64° 51' 16.75" E	0.98	Depth constraint point
ECS 181	10° 24' 10.43" S	64° 51' 20.62" E	0.98	Depth constraint point
ECS 182	10° 25' 9.65" S	64° 51' 23.62" E	0.98	Depth constraint point
ECS 183	10° 26' 8.87" S	64° 51' 26.33" E	0.98	Depth constraint point
ECS 184	10° 27' 8.13" S	64° 51' 28.12" E	0.98	Depth constraint point
ECS 185	10° 28' 7.39" S	64° 51' 29.71" E	0.98	Depth constraint point
ECS 186	10° 29' 6.66" S	64° 51' 30.29" E	0.98	Depth constraint point
ECS 187	10° 29' 25.24" S	64° 51' 30.43" E	0.31	Depth constraint point /











