DOTAT

doalos@ un.org

climate change-related measures, but a more coordinated approach to scale adapt ve f sheries management is st II needed.

adopt

implement ecosystem-based f sheries management (EBFM),

1. RFMOs Should Adopt Climate Adapt ve Harvest Strategies

Harvest strategies-or management procedures-are an important adapt ve tool that can be designed to include the impacts of climate change on f sh populat ons and f sheries. Harvest strategies shif managers' perspect ve from short-term, react ve decision-making to longer-term object ves—typically based on the numbers or biomass of a given f sh populat on—and involve agreeing in advance how f shing rules (of en catch or ef ort limits) will be adjusted to meet those aims. An important part of harvest strategy development is the use of detailed scient f c models, called management strategy evaluat on (MSE), to ensure that the adopted rules will meet f sheries' object ves under a variety of environmental conditions. This tool provides scient sts and managers with the ability to incorporate expected or potent al impacts from climate change into their decision making. Those impacts may include changes to expected biomass, reproduct ve success or changes in the geographic distribution or migration patierns of fish stocks. The tropical tuna stocks in the Pacific Ocean are a prime example where MSE should be used to help managers develop a climate-ready harvest strategy. As these tunas move from nat onal jurisdict ons to the high seas and from east to west in the face of changing ocean conditions, the relevant RFMOs—the Western and Central Pacific Fisheries Commission (WCPFC) and the Inter-American Tropical Tuna Commission (IATTC)—will need to collaborat vely develop MSE-tested harvest strategies that extend across both Convent on Areas (Goodman et al., 2022).

- 2. RFMOs Should Mainstream Ecosystem-Based Fisheries Management (EBFM)
 The Intergovernmental Panel on Climate Change has determined that EBFM is a feasible and ef ect ve way to address the impacts of climate change in ocean ecosystems and related human act vit es (Cooley et al., 2022). EBFM harnesses advances in scient f c knowledge, like MSE, to consider the interact ons among species, f sheries, and a changing ocean. EBFM means transit oning from single species management to more comprehensive strategies that consider the overall health of ocean ecosystems. To accomplish that, managers should:
- Commission ecosystem models to forecast the future status of specific species in an
 ecosystem context and under changing conditions and provide actionable scient fic advice
 that incorporates relevant climate considerations.
- Consider the full range of possible ecological consequences of f shing, when making
 management decisions about f shing opportunities. In addition to considering impacts such

Table 1 - Climate change act ons at select RFMOs:

| RFMO | Progress to date | | |
|--|---|--|--|
| The Internat onal Commission for the | Adopted Resolut on 22-13 to init ate climate work | | |
| Conservat on of Atlant c Tunas (ICCAT) | through a joint experts meet ng and develop a | | |
| | Commission workplan. | | |

Inter-Americ

References

Cooley, S., D. Schoeman, L. Bopp, P. Boyd, S. Donner, D.Y. Ghebrehiwet, S.-I. Ito, W. Kiessling, P. Martinetto, E. Ojea, M.-F. Racault, B. Rost, and M. Skern-Mauritzen, 2022: Oceans and Coastal Ecosystems and Their Services. In: Climate Change 2022: Impact